### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# PIONEER HUDTICS FOR SOUTH CENTRAL AND SOUTHERN IOWA

## Available for 1943



### PIONEER 334

ONE LARGE EAR PER STALK-MEDIUM SOFT STARCH-DARK GREEN PLANTS

Good type of corn, for feeding and marketing purposes. Produces dark green, leafy plants, single eared stalks and fairly large, medium soft starch ears. Ears hang evenly, are borne low on stalks. Resists both stalk and ear smut. Easily harvested by hand and machine pickers. A high yielding, attractive looking hybrid.

Pioneer 334. 333, and 317 have about same maturity as Pioneer 307.



Pioneer 300 and 336 mature about 4 or 5 days later than Pioneer 307.

## PIONEER 333

SUPERIOR STANDING ABILITY-HIGH YIELDING-PICKS CLEAN WITH MACHINE

 A rugged, high yielding variety which features exceptionally strong roots and stiff stalks. Ears run one-to-the-stalk, are uniform in size, cylindrical in shape, and hold their width well from butt to tip. Kernels have a medium dent—grow deep and plump, excel in quality and weight. Picks clean with mechanical picker.

### PIONEER PIONEER 300

- LARGE, FAIRLY ROUGH EARS
- SOFT STARCH KERNELS
- GOOD SILAGE, FODDER CORN
- Yields large, rather rough, medium soft starch ears that run uniform in size and cylindrical in shape. Gives rough dent corn under conditions where many hybrids turn smooth and flinty in Southern Iowa. Very high yielding variety. Looks beautiful in field, stands tall, yields big tonnage of silage and fodder. Ears husk out easy and clean. Resists drought and smut.

## 336

- LONG EARED HYBRID
- VERY HIGH YIELDING
- STANDS UP WELL
- Long eared, very high yielding hybrid. Produces one large ear per stalk. Has medium dent kernels, contains medium-soft starch, yields good quality ears. An easy husking, clean picking hybrid with ears attached on stalks at a convenient height for huskers. Develops strong roots and stalks . . . stands up strongly.

## PIONEER 317

PRODUCES LARGE, SINGLE EARS-LEAFY UNIFORM PLANTS-HUSKS OUT CLEAN

• A general purpose corn. Produces vigorous, leafy, uniform plants. Yields one ear per stalk. Carries ears at an even, fairly low height. Long husks keep ears protected from mold and tip damage. Ears husk out very clean. Stands up exceptionally well, has very stiff stalks.

HIGH YIELDING-OVERRUNS WHEN SHELLED-STIFF STALKS

• Stalks produce fairly heavy foliage, stand up well, look impressive in the field. Some stalks produce two ears under favorable conditions. Ears become well dented, contain medium hard starch, have deep grain, small cobs. They weigh out heavily, have sound, solid kernels-often overrun measured cribs up to 15 per cent when shelled. Used by many as fodder and ensilage corn.



# PIONEER Hybrids available for 1943—select your hybrids and reserve your seed

ESTIMATED MATURITY

DIFFERENCES AMONG PIONEER

HYBRIDS

IN DAYS

EARLIEST

358 == 355

\_\_\_ 373

353-- 353-A

322 -- 324

#### PIONEER 359

- High Yielding
- Stiff Stalked
- Earliest Pioneer Hybrid

• Produces high yields and stands up exceptionally well for corn of its maturity. Unlike most early corns, it is the type of corn that hogs and cattle like—has well dented, medium soft starch kernels and excellent quality ears.



- Short Stalks, Big Ears Medium Soft Grain High Yield
- This "little giant" hybrid grows short stalks, but produces surprisingly large, well shaped, heavy ears. Kernels are well dented and medium soft in texture. Matures, stands and yields like 355, but develops shorter shanks, and resists smut better. Ears husk out clean and easy for hand or machine

#### PIONEER 355

- A Dependable Hybrid Deep Kernels, Small Cobs Good on Alkali, Peat
- A favorite standby in Northern Corn Belt. Comes through the ground fast, stands up well, yields sound ripe corn that can be fed, marketed, or sealed without delay. Usually overruns measured cribs 5 to 15 per cent when shelled-has long, small cob ears filled with deep kernels. Thrives well on alkali, grows especially well on peat.

#### PIONEER 373

- Silage, Fodder Corn Large Attractive Ears Picks Clean, Easy
- Good silage and fodder corn. Grows tall stalks, yields big tonnage of dark green foliage, makes a large crop of grain. Plants are attractive, dressy, uniform looking. May stalk break some in the fall on high nitrogen soil. Produces single eared stalks, large uniform ears with medium soft starch, and deep sound kernels. Picks clean with machine, husks easy by hand.



#### PIONEER 353

- Extra High Yield Strong Roots, Stiff Stalks
- Thick Ears, Deep Grain
- Gives you both extra high yield and excellent lodging resistance with safe maturity. Develops very strong roots and very stiff stalks. Stood up excellently throughout 1941 season when many hybrids lodged badly. Yields rather thick, medium length ears with very deep kernels. Leaves very little ear and shelled corn in field when harvested with machine.

In the 1941 Minnesota Corn Yield Trials, conducted by University of Minnesota, Pioneer 353 consistently ranked at or near the top in yield in six of the seven test fields located in the Southern and South Central Zones.

353-A

Resists Wind, Drought


Single Eared Stalks

High Yield of Grain

Yield Trials. In Group I only.

332== LATEST





FOR NORTH CENTRAL AND CENTRAL CORNBELT

#### PIONEER 330

- Rough, Soft-starch Ears
- Single Eared Stalks Uniform Ears, Plants
- A popular, high yielding, rough eared hybrid with soft starch, good quality kernels, and single eared stalks. Produces dressy looking corn, has extreme plant uniformity and very even ear height. Ears pick clean, break out of husk easy. May drop few ears. Stalks disc up easily. Stalks are sometimes brittle in midsummer, but become very stiff in

Has become one of the most popular hybrids grown in Central and North Central Iowa. Reserve your 1943 supply now.

#### PIONEER 340

- Extra High Yielding
- Moderately Rough Ears
- Very Stiff Stalks
- A new, extra high yielding, stiff stalked corn. Grows dark green stalks and leaves. Produces one ear per stalk. Yields good quality ears with well dented, moderately rough, medium soft starch kernels. Long husks protect ear tips from grain damage. Ears hang fairly low on stalkshandy to husk by hand.

Resists smut excellently. Holds very high yield records in Pioneer tests conducted in North Central Iowa. Very resistant to dropped ears.

#### PIONEER 322

- High Yielding Hybrid
- Well Liked by Feeders
- Deep Kernels, Small Cobs

 A dependable, general purpose corn. Stalks grow high, produce plenty of fodder and yield lots of grain. Feeders like 322. Ears contain medium soft starch, have deep kernels, small cobs. Generally overruns measured cribs around 10 per cent when shelled. Has excellent longtime lodging resistance record. Husks easy by hand, picks clean all day with machine.

In common with many very stiff stalked hybrids, 322 was affected in some sections last fall by a particular stalk rot which was unusually active. On the average, 322 is very stiff stalked. Pioneer 322 has the best lodging resistance among all hybrids tested for five years (1936-40) in both the Northern and North Central Sections of the official Iowa Corn

#### PIONEER 341

- A New Variety
- + Produces Rough Ears
- Soft Starch Kernels
- This new variety matures slightly later than 322, has rough, deep kernel ears. Hogs and cattle like its soft starch texture. Ear type is similar to 330. Stands up strongly, produces good roots and very stiff stalks, good ear appearance, single eared stalks, and drops practically no ears.

Earlier than 330. A good companion hybrid to grow with 322-it matures slightly later, grows shorter stalks, has lower ear height, and shells less when picked with a mechanical

#### PIONEER 324

- Fives High Yields
- Uniform Looking Fields
- ◆ One Large Ear Per Stalk
- Pioneer 324 yields a big crop of large, showy ears. Ears hold their width well from butt to tip, have medium dent kernels, deep grain, run uniform in size and appearance. Plants look attractive. Stalks stand even in height, bear wide, healthy looking leaves. Ears hang evenly at a convenient height for husking.

Kernels contain medium hard starch, have high shelling percentage, market at top grade. Good sealing corn in North Central Iowa. Keeps well in the crib.



# Performance Ratings, of BASED ON AVERAGE RESULTS PIONEER Hybrids FROM PIONEER YIELD TESTS

• Records shown below under each of the 3 maturity belts are based on averages of several years testing in Pioneer hand planted, replicated test fields. Twenty hills of each entry are planted in six different locations in each field and averaged at harvest time. A number of fields are planted annually in each maturity belt and results averaged. Then results of preceding years are averaged with latest figures.

Pioneer Number	Average Yield Per Acre	Average Moisture Oct. 15	Root Lodging Resistance Grade The Higher the Better	Average Number Broken Stalks Per 100 Stalks	Average Number Dropped Ears Per 100 Stalks	Average Ear Height	
359	66 bu.	16.4%	85	2	.1	40 in.	Mid- Polit
355	67	17.1	72	3	.8	46	PAGE AT THE PAGE AND A STATE OF THE PAGE AND A STATE O
358	66	17.3	68	5	1.5	39	Tables Tables Tables
367	72	17.7	75	6	.5	42	S.D. MINNESOTA
373	70	17.7	74	10	.3	49	MINISTRA MINISTRAL MANUAL MANU
353	78	19.0	80	3	.3	52	WITCHISTON TOWNS I THE COLD TOWN OF STREET S
353A	76	19.0	80	6	1.1	55	
322	76	20.8	80	10	.5	56	Trindple Calebri Main POCA amends to make transmit by the policy of the
324	76	20.8	77	10	.8	54	ON PERCH MANUAL CANADA

353 72 15.9 77 2 .2 49 322 73 16.6 77 9 .5 52 324 73 16.9 74 7 .7 48 340 77 17.4 80 3 .1 49 341 74 17.4 78 3 .1 42 330 75 17.6 89 3 .7 45 3307 78 18.4 72 7 .4 57 3333 77 18.4 78 2 .2 55	Pioneer Number	Average Yield Per Acre	Average Moisture Oct. 15	Root Lodging Resistance Grade The Higher the Better	Average Number Broken Stalks Per 100 Stalks	Average Number Dropped Ears Per 100 Stalks	Average Ear Height	THE TOTAL PROPERTY OF THE PROP
322 73 16.6 77 9 .5 52 324 73 16.9 74 7 .7 48 340 77 17.4 80 3 .1 49 341 74 17.4 78 3 .1 42 330 75 17.6 89 3 .7 45 330 78 18.4 72 7 .4 57 333 77 18.4 78 2 .2 55 334 75 18.5 70 5 6 55	353A	70 bu.	15.8%	76	4	.8	51 in.	S. D. WIS
322 73 16.6 77 9 .5 52 324 73 16.9 74 7 .7 48 340 77 17.4 80 3 .1 49 341 74 17.4 78 3 .1 42 330 75 17.6 89 3 .7 45 3307 78 18.4 72 7 .4 57 333 77 18.4 78 2 .2 55 334 75 18.5 70 5 6 55	353	72	15.9	77	2	.2	49	
324 73 16.9 74 7 .7 48 340 77 17.4 80 3 .1 49 341 74 17.4 78 3 .1 42 330 75 17.6 89 3 .7 45 3307 78 18.4 72 7 .4 57 333 77 18.4 78 2 .2 55 334 75 18.5 70 5 6 55	322	73	16.6	77	9	.5	52	
340 77 17.4 80 3 .1 49 341 74 17.4 78 3 .1 42 330 75 17.6 89 3 .7 45 3307 78 18.4 72 7 .4 57 3333 77 18.4 78 2 .2 55 334 75 18.5 70 5 6 55	324	73	16.9	74	7	.7	48	THE PERSON NAMED AND POST OF THE PERSON NAMED AND POST OF THE PERSON NAMED AND PASS OF THE PERSON NAMED
330 75 17.6 89 3 .7 45 307 78 18.4 72 7 .4 57 333 77 18.4 78 2 .2 55	340	77	17.4	80	3	.1	49	
3307 78 18.4 72 7 .4 57 333 77 18.4 78 2 .2 55	341	74	17.4	78	3	.1	42	Pursuant Contract to Septial Property Statement Prisons in Septial Sep
307 78 18.4 72 7 .4 57 333 77 18.4 78 2 .2 55	330	75	17.6	89	3	.7	45	The riversion   Property   Property   Property   Property
333 77 18.4 78 2 .2 55 334 75 18.5 70 5 .6 55	307	78	18.4	72	7	.4	57	Table 1
334 75 18.5 70 5 .6 55	333	77	18.4	78	2	.2	55	Trans. Inches
	334	75	18.5	70	5	.6	55	AND SECOND SECON

330 71 bu. 15.1% 92 1 1.4 43 in. 341 71 15.1 85 2 .3 40 340 72 15.4 80 1 .2 45 333 73 16.2 92 2 .6 50 334 73 16.2 76 4 .8 49 307 74 16.2 80 5 .6 53 317 73 16.3 80 2 .6 50 336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57 300 76 18.2 82 2 5 61	Pioneer	Average Yield	Average Moisture	Root Lodging Resistance Grade The Higher	Number Broken Stalks Per	Average Number Dropped Ears Per	Average	17-1	LISTE	THE REAL PROPERTY.	NEWNOLL PROPERTY.		CALLED TO SERVICE OF THE SERVICE OF	Tour Control	How	TAU CLAMP	1
3341 71 15.1 85 2 .3 40 3340 72 15.4 80 1 .2 45 3333 73 16.2 92 2 .6 50 334 73 16.2 76 4 .8 49 307 74 16.2 80 5 .6 53 317 73 16.3 80 2 .6 50 336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57 3300 76 17.0 75 3 .5 57 3300 76 18.2 82 2 5 61	Number	Per Acre			100 Stalks			-	(M) Page	-	William William	-	The same of the same	0 T		(AC	-
341 71 15.1 85 2 .3 40 340 72 15.4 80 1 .2 45 333 73 16.2 92 2 .6 50 334 73 16.2 76 4 .8 49 307 74 16.2 80 5 .6 53 317 73 16.3 80 2 .6 50 336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57	330	71 bu.	15.1%	92	1	1.4	43 in.	-	- Indicated	MAN MAN CT	-Colle Marrie	TARRES OF		-	FRIEND		
340 72 15.4 80 1 .2 43 3333 73 16.2 92 2 .6 50 334 73 16.2 76 4 .8 49 3307 74 16.2 80 5 .6 53 3317 73 16.3 80 2 .6 50 3336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57 3322 76 182 82 2 5 61	341	71	15.1	85	2	.3	40									1	
333 73 16.2 92 2 .6 50 334 73 16.2 76 4 .8 49 307 74 16.2 80 5 .6 53 317 73 16.3 80 2 .6 50 336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57	340	72	15.4	80	1	.2	45		1 47					1 1		Ma Serie	500
334 73 16.2 76 4 .8 49 307 74 16.2 80 5 .6 53 317 73 16.3 80 2 .6 50 336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57	333	73	16.2	92	2	.6	50		Title   seems		A-70		COMP		Alam Part F	E CLASTON	L
307 74 16.2 80 3 .6 50 3336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57 3322 76 18.2 82 2 5 61	334	73	16.2	76	4	.8	49	THE THE	P. S.	CHEMINE CHEMINES	VESTA PROCES	4	Photos.				1
317 73 16.3 80 2 .6 50 336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57 322 76 18.2 82 2 5 61	307	74	16.2	80	5	.6	53	PRINCE		190	THE LOW SHAPE		AND THE PERSON	CÓLMOT	DLACK BUCK	Marie St. County	100
336 77 16.5 80 2 1.5 55 300 76 17.0 75 3 .5 57	317	73	16.3	80	2	.6	50		Therston	Marine Chara	CAMBOLI C	MIM	1000		BE 11/04	100	m!
300 76 17.0 75 3 .5 57		77	16.5	80	2	1.5	55	The state of	8,01	-	LET ANDURCE CH	1				Complete	246
232 76 182 82 2 5 61		76	17.0	75	3	.5	57	15	9062 BE	THE REAL PROPERTY.	1	-	4			-	W/SCA
The same material and same same same same same same same same	332	76	18.2	82	2	.5	61	A arra	tes .			نند ال				100	MA (